



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

0460
06-20-01
#2

APPLICANT: HOATH, WILLIAM)

Application No.: 09/872,524)

Filing Date: 06/01/01)

For: IMPROVEMENTS TO BROADCAST DATA)
RECEIVER AND DATA TRANSMISSION)
APPARATUS)

Art Unit: UNKNOWN)

TRANSMITTAL OF PRIORITY DOCUMENT

Director for Patents
Washington, D.C. 20231


Dear Sir:

Enclosed herewith is a certified copy of British Patent Application No. 0013324.9
for which the above-identified patent application claims priority from.

If, for any reason, this priority document is not acceptable, please inform the
undersigned as soon as possible.

Respectfully Submitted

HEAD, JOHNSON & KACHIGIAN



Mark G. Kachigian, Reg. No. 32,840
228 West 17th Place
Tulsa, Oklahoma 74119
(918) 584-4187
Attorneys for Applicant

Date: 07/06/01

Customer No. 24,118

"EXPRESS MAIL" Mailing Label No. EL749342438US

Date of Deposit: July 06, 2001
I hereby certify that this paper or fee is being deposited with the United
States Postal Service "Express Mail Post Office to Addressee" service
under 37 CFR 1.10 on the date indicated above and is addressed to the
Director for Patents and Trademarks, Washington D.C. 20231 by
Barbara Ladd.



This Page Blank (uspto)



INVESTOR IN PEOPLE

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

**CERTIFIED COPY OF
PRIORITY DOCUMENT**

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.


In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

Dated 18 June 2001

THIS PAGE BLANK (USPTO)



02JUN00 E541626-1 000346
P01/7700 0.00-0013324.9
The Patent Office

Cardiff Road
Newport
Gwent NP9 1RH

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

1.	Your reference	GW/MK/G30040			
2.	Patent application number (The Patent Office will fill in this part)	02 JUN 2000 0013324.9			
3.	Full name, address and postcode of the or of each applicant (underline all surnames)	Pace Micro Technology Plc Victoria Road Saltaire Shipley BD18 3LF England			
	Patents ADP number (if you know it)				
	If the applicant is a corporate body, give the country/state of its incorporation	7588569001			
4.	Title of the invention	Improvements to Broadcast Data Receiver and Data Transmission apparatus			
5.	Name of your agent (if you have one)	Bailey Walsh & Co.			
	"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)	5, York Place Leeds LS1 2SD			
	Patents ADP number (if you know it)	224001			
6.	If you are declaring priority from one or more earlier patent applications, give the and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number	<table border="0"> <tr> <th style="text-align: left;">Country</th> <th style="text-align: left;">Priority application number (if you know it)</th> <th style="text-align: left;">Date of filing (day / month / years)</th> </tr> </table>	Country	Priority application number (if you know it)	Date of filing (day / month / years)
Country	Priority application number (if you know it)	Date of filing (day / month / years)			
7.	If this application is divided or otherwise derived from an earlier UK application, the earlier application	<table border="0"> <tr> <th style="text-align: left;">Number of earlier application</th> <th style="text-align: left;">Date of filing (day / month / years)</th> </tr> </table>	Number of earlier application	Date of filing (day / month / years)	
Number of earlier application	Date of filing (day / month / years)				
8.	Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer "Yes" if: <div style="margin-left: 20px;"> a) any applicant named in part 3 is not an inventor, or b) there is an inventor who is not named as an applicant, or c) any named applicant is a corporate body See note (d) </div>				
	Yes				

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document.

Continuation sheets of this form

Description

6

Claim(s)

Abstract

Drawing(s)

1+



10. If you are also filing any of the following, state how many of each item.

Priority Documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for preliminary examination and search (Patents Form 9/77)

Request for substantive examination (Patents Form 10/77)

Any other documents (Please specify)

11. I/We request the grant of a patent on the basis of this application

Signature

Date



1st June 2000

12. Name and daytime telephone number of person to contact in the United Kingdom

G WOOD
0113 2433824

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help filling in this form or you have any questions, please contact the Patent Office on 0645 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in this form you must remember to sign and date it.
- For details of the fee and ways to pay, please contact the Patent Office.

Improvements to Broadcast Data Receiver and Data Transmission apparatus

The invention to which this application relates is to an improvement in the transmission of broadcast data and operation of a broadcast data receiver of the type which can be provided for connection to further apparatus such as a television set or display screen and speakers or may be provided as an integral part of a television set. In whichever form the receiver is provided, the same is provided for the purpose of receiving data, typically in a digital format, which is transmitted from a remote location, typically via any of satellite, cable or terrestrial broadcast systems. The data is typically provided by broadcasters of data such as television service providers, individual channel providers and so on.

When the data is received at the receiver, it is decoded from the encoded format in which the same is transmitted, processed and then video, audio and or auxiliary material such as teletext or programme guide material can be selectively generated via the display screen and speakers.

A primary concern to manufacturers of the broadcast data receiver is the cost of manufacture of the same in terms of the component costs and there is a continuing pressure for the same to be manufactured at the cheapest price possible. One current requirement is for the broadcast data receiver to include an Out of Band (OOB) Tuner, and this is particularly prevalent with broadcast data receivers for use with cable transmission systems. However, the provision of the OOB tuner adds a significant cost factor to the receiver.

The aim of the present invention is to provide a broadcast data receiver and data transmission apparatus, which allows the cost of the broadcast data receiver to be reduced.

In a first aspect of the invention there is provided a system for the transmission of digital data from a broadcast location to a plurality of receiver locations, each receiver location including a broadcast data receiver for the processing of the data and generation of video, audio and/or auxiliary data, each receiver including a DOCSIS modem, or equivalent and characterised in that at the broadcast or head end of the system there is provided a transcoder unit which allows the transcoding of data from an out of band data stream transmitted at the head end in a format such that when received by the receiver the same can be received via the DOCSIS modem.

Thus the invention enables broadcast data receivers to be developed which require no Out Of Band (OOB) tuner to be provided even though they will function on a standard network, which delivers OOB data. The transcoder unit therefore transcodes data between the OOB data stream and Ethernet to allow the transmission and reception of same by a plurality of receivers in a format which does not require each receiver to be provided with an OOB tuner.

In a further aspect of the invention there is provided a system for the transmission of digital data between a broadcast location to a plurality of receiver locations, each receiver location including a broadcast data receiver for the processing of the data and generation of video, audio and/or auxiliary data, each receiver including a DOCSIS modem, or equivalent and characterised in that in the transmission of data from a receiver to the broadcast location there is provided a unit which upon receiving data from the receiver reformats the same thus overcoming the need for an additional transmission modem to be provided in the broadcast data receiver.

Thus, in accordance with the second aspect of the invention there is provided a system and in particular a transcoding unit at the head end which allows for transcoding of data between the Ethernet and the Out of Band data.

A specific embodiment of the invention is now described with reference to the accompanying figures wherein

Figure 1 illustrates in schematic fashion a transcoding unit in accordance with the invention;

Figures 2A, 2B and 2C illustrate embodiments of downstream protocol stacks from the transcoder unit of Figure 1; and

Figure 3 illustrates an embodiment of an upstream protocol stack for the transcoder unit in accordance with the invention.

The invention provides a system and apparatus relating to a transmission system comprising a broadcast location or head end from which the digital data is transmitted in an encoded format for reception by a plurality of broadcast data receivers at various spaced locations, but all, in this case connected to a cable transmission network along which the transmitted data passes. In the embodiment shown there is, amongst others, what is known as an Out of Band data stream transmitted and conventionally, in order to receive and process the same each receiver is required to include an OOB tuner to allow that particular data stream to be received. This component adds considerable expenditure.

In addition to receiving data, the broadcast data receivers are provided with means to allow data to be sent upstream to the

broadcast location and in order to achieve this, a particular form of modem is conventionally required to be provided.

Each broadcast data receiver is also provided with a DOCSIS modem and the present invention allows this modem to be used to receive the OOB data without the need for an OOB tuner to be provided by providing a transcoding unit in accordance with the invention at the head end or broadcasting location. By providing the transcoding unit at the head end, so the need for each receiver to include an OOB tuner is removed and hence the cost of manufacture and supply of each receiver is significantly reduced.

Referring now specifically to the Figures, Figure 1 illustrates a transmission system which illustrates at the head end or broadcast location 2 a transcoder unit 4 in accordance with the invention which includes an OOB tuner and demodulator 4, a modulator 6, data processor 8 and Ethernet interface 10. The Transcoder unit is connected to the cable transmission network 12 via a diplexer and to the DOCSIS head end 14 via an Ethernet connection 16 with the DOCSIS head end in turn connected to the cable transmission network 12 as shown. The cable transmission network is then connected with a number of broadcast data receivers 18 which can number in the tens of thousands.

In accordance with the invention, to pass the data downstream, the Transcoder unit 4 receives the data from the OOB data stream, which is broadcast at the head-end. The unit identifies and selects non-null packets of data from the data stream and encapsulates them in an Internet Protocol (probably UDP) packet format. These packets are then transmitted over the Ethernet connection via the DOCSIS head end and are addressed to a Multicast address. This multicast address ensures that the destination of the packets is to all of the broadcast data receivers connected to the cable transmission

system as required by the broadcaster and thus the entire population of broadcast data receivers will receive the packets of the data.

There are several modes of operation for the transcoder unit 4, dependent upon the way the data is encapsulated in packets in the OOB data stream. If the OOB data is carried in MPEG-2 transport format a first mode is for the same to re-packetise 188-byte transport stream packets. In a second mode, if the OOB data is encapsulated in MPEG sections, it could remove the transport data stream layer off and only re-packetise the MPEG sections. If the data is carried in other formats, such as ATM packets, then these again may be encapsulated in packets and passed on.


As previously mentioned, it is another aspect of the invention for the transmission of data upstream and in order to achieve this, the transcoder unit 4 receives data from the DOCSIS head-end 14 via the Ethernet connection and which in turn has received the data from the broadcast data receivers via the cable transmission system. The transcoder unit 4 removes any Ethernet and IP layers, formats the data and transmits it. In a preferred embodiment, the upstream burst modulator will modulate using QPSK/Differential encoding, thus it will conform to that protocol used on many of the current cable networks.

Figures 2A, 2B and 2C illustrate examples of possible downstream protocol data stacks generated from the transcoder unit 4. Figure 3 illustrates a possible upstream protocol data stack generated in accordance with the invention.

In addition to trans-coding the data, the transcoder unit can maintain compatibility with the upstream burst modulator by monitoring for power, frequency and other control messages, which it passes through and adjust its' transmission parameters accordingly.

A possible method of controlling security access to the system is by using the DHCP configuration that is received by the broadcast data receiver when it initialises the DOCSIS modem in the receiver. The configuration data sent to the broadcast data receiver can contain the IP address of the Transcoder and the multicast address that needs to be used by the broadcast data receiver, in order to receive downstream data. Using this DHCP mechanism, it is possible to enable relevant broadcast data receivers by their MAC address.

The invention as herein described will enable the manufacturers of broadcast data receivers to produce the same without the need for the same to support OOB data streams but still be able to function on networks which are dependent upon the OOB data stream. This will result in a significant reduction in cost for these broadcast data receivers.





THIS PAGE BLANK (USPTO)